

CESOIA ELETTRICA MU16
TESTA FISSA
COD. 1.50.1838


CESOIA ELETTRICA	ELECTRIC SHEAR	CISAILLE ÉLECTRIQUE	ELEKTRISCHE SCHERE	1.50.1838
Taglio Ø	Cut Ø	Coupe Ø	Schneide Ø	16 mm
Tensione	Tension	Tension	Spannung	230V/50Hz
Watt	Watt	Watt	Watt	1100
Potenza idraulica	Hydraulic power	Puissance hydraulique	Hydraulische Potenz	ton 10
Dimensioni	Dimensions	Dimensions	Dimensionen	mm 520x120x130
Peso	Weight	Poids	Gewicht	kg 9,1
Pressione	Pressure	Pression	Druck	bar 560

COD. 1.50.1100
MU14 P - PER PIEGARE
CESOIA ELETTRICA MU18
A TESTA FISSA
COD. 1.50.689


CESOIA ELETTRICA	ELECTRIC SHEAR	CISAILLE ÉLECTRIQUE	ELEKTRISCHE SCHERE	1.50.689
Taglio Ø	Cut Ø	Coupe Ø	Schneide Ø	Max 18 mm
Tensione	Tension	Tension	Spannung	230V/50Hz
Watt	Watt	Watt	Watt	1100
Potenza idraulica	Hydraulic power	Puissance hydraulique	Hydraulische Potenz	ton 18
Dimensioni	Dimensions	Dimensions	Dimensionen	mm 400x120x240
Peso	Weight	Poids	Gewicht	kg 9
Pressione	Pressure	Pression	Druck	bar 700

CESOIA ELETTRICA T22 TESTA FISSA COD. 1.50.141
CESOIA ELETTRICA TW19 TAGLIO TREFOLO TESTA FISSA COD. 1.50.127


CESOIA ELETTRICA	ELECTRIC SHEAR	CISAILLE ÉLECTRIQUE	ELEKTRISCHE SCHERE	1.50.141	1.50.127
Taglio Ø	Cut Ø	Coupe Ø	Schneide Ø	Max 20 mm	Max 19 mm
Tensione	Tension	Tension	Spannung	230V/50Hz	230V/50Hz
Watt	Watt	Watt	Watt	1150	1150
Potenza idraulica	Hydraulic power	Puissance hydraulique	Hydraulische Potenz	ton 30	ton 30
Dimensioni	Dimensions	Dimensions	Dimensionen	mm 450x140x235	mm 480x140x235
Peso	Weight	Poids	Gewicht	kg 14	kg 14,8
Pressione	Pressure	Pression	Druck	bar 700	bar 700

CESOIA ELETTRICA T26 TESTA FISSA COD. 1.50.1873
CESOIA ELETTRICA T28 TESTA FISSA COD. 1.50.1166
CESOIA ELETTRICA T32 TESTA FISSA COD. 1.50.1174


CESOIA ELETTRICA	ELECTRIC SHEAR	CISAILLE ÉLECTRIQUE	ELEKTRISCHE SCHERE	1.50.1873	1.50.1166	1.50.1174
Taglio Ø	Cut Ø	Coupe Ø	Schneide Ø	Max 26 mm	Max 28 mm	Max 32 mm
Tensione	Tension	Tension	Spannung	230V/50Hz	230V/50Hz	230V/50Hz
Watt	Watt	Watt	Watt	1150	1150	1150
Potenza idraulica	Hydraulic power	Puissance hydraulique	Hydraulische Potenz	ton 40	ton 45	ton 50
Dimensioni	Dimensions	Dimensions	Dimensionen	mm 466x270x160	mm 540x330x170	mm 560x335x180
Peso	Weight	Poids	Gewicht	kg 14,5	kg 25	kg 27
Pressione	Pressure	Pression	Druck	bar 700	bar 700	bar 700

CESOIA ELETTRICA BT14DE A TESTA INTERCAMBIABILE

La prima cesoia professionale a testa intercambiabile a doppio effetto.

Leggera, pratica e affidabile in ogni situazione. Insostituibile per troncare, tagliare, punzonare ...

Le teste ruotano a 90°-180°-270°.

ELECTRIC SHEAR BT14DE

The first double effect professional shear with interchangeable head. Useful and reliable everytime and everywhere. Irreplaceable for cutting, truncating, punching ... 90°-180°-270° tilting head.



CORPO CESOIA A BATTERIA BT14
BATTERY-OPERATED SHEARBODY BT14
COD. 1.50.750

CORPO CESOIA BT14DE	BT14DE SHEARBODY	BT14DE CORPS CISAILLE	BT14DE SCHERENKÖRPER	150750 BT14DE
Peso	Weight	Poids	Gewicht	kg 4,9
Dimensioni	Dimensions	Dimensions	Dimensionen	340x320x110 mm
Alimentazione	Tension	Tension	Spannung	18V 3 Ah
Durata della batteria	Average number of cuts	Durée moyenne charge batterie	Akku mittlere dauer	65/70 cuts

TESTA TAGLIO A UNCINO BU14 HOOK CUTTING HEAD BU14 COD. 1.50.792

- Per il taglio di tondo fino al $\varnothing 14$ mm
- Bar cutting-max $\varnothing 14$ mm



TESTA BU14	BAR CUTTING HEAD BU14	TÊTE BU14	BU14 SCHNEIDEKOPF	1.50.792
Peso	Weight	Poids	Gewicht	kg 1,7
Dimensioni	Dimensions	Dimensions	Dimensionen	mm 135x85x65



TESTA A LAME SOVRAPPOSTE BS14 OVERLAPPED BLADES HEAD BS14 COD. 1.50.858

- Per il taglio di tondo fino al $\varnothing 12$ mm
Ideale per rete elettrosaldata
- Bar cutting-max $\varnothing 12$ mm
Suitable for steel mesh



TESTA BS14	BAR CUTTING HEAD BS14	TÊTE BS14	BS14 SCHNEIDEKOPF	1.50.858
Peso	Weight	Poids	Gewicht	kg 2
Dimensioni	Dimensions	Dimensions	Dimensionen	mm 159x115x68



**TESTA A FORBICE BF7
SHEARS HEAD BF7
COD. 1.50.791**

- Reggetta, sigilli, fili di ferro, piccoli cavi, funi, rame, distanziatori ...
- Steel strap, seals, iron/steel wire, small cables, ropes, copper, spacers ...



TESTA A FORBICE BF7	SHEARS HEAD	TÊTE A CISEAUX	SCHERENKOPF	1.50.791
Peso	Weight	Poids	Gewicht	kg 1,5
Dimensioni	Dimensions	Dimensions	Dimensionen	mm 130x120x65
Taglio max □	Cut max □	Coupe max □	Schneide max □	25x4 mm (R=45 Kg/mm ²)

**TESTA PUNZONATRICE BP18
PUNCHING HEAD BP18
COD. 1.50.793**



TESTA PUNZONATRICE BP18	PUNCHING HEAD	TÊTE DE POINÇONNAGE	LOCHSTANZENKOPF	1.50.793
Peso	Weight	Poids	Gewicht	kg 2,2
Dimensioni	Dimensions	Dimensions	Dimensionen	mm 145x105x65
Foro max	Hole max	Trou max	Bohrung max	Ø 18 mm
Spessore max	Thickness	Épaisseur max	Wandstärke	VARIABLE (0÷4 mm)

**CESOIA A BATTERIA A TESTA FISSA
FIXED HEAD BATTERY OPERATED CUTTERS**

CESOIA MU16 A BATTERIA / BATTERY OPERATED MU16 COD. 1.50.1839



MU16 A BATTERIA	BATTERY OPERATED MU16	MU16 A BATTERIE	BATTERIE MU16	1.50.1839
Peso	Weight	Poids	Gewicht	9 kg
Taglio Ø	Cut Ø	Coupe Ø	Schneide Ø	16 mm
Potenza idraulica	Hydraulic strength	Force hydraulique	Hydraulische kraft	9,5 ton
Dimensioni	Dimensions	Dimensions	Dimensionen	490x395x135mm